Ultraleather® Outdoor 410 Cora, 421 Distressed, 497 Pumice, 540 Pebble, and 640 Coast by Ultrafabrics, Inc.

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 24431

CLASSIFICATION: 45 19 00 Textiles and Apparel Manufacturing Equipment PRODUCT DESCRIPTION: Polyurethane coated fabric for upholstering furniture. Covers 410 Ultraleather Cora Outdoor, 421 Ultraleather Distressed Outdoor, 497 Ultraleather Pumice Outdoor, 540 Ultraleather Pebble Outdoor, and 640 Ultraleather Coast Outdoor.

Section 1: Summary

CONTENT INVENTORY

- Inventory Reporting Format © Nested Materials Method
- C Basic Method
- Threshold Disclosed Per
- C Material
- O Product
- Threshold level © 100 ppm © 1,000 ppm © Per GHS SDS © Other

Residuals/Impurities Residuals/Impurities Considered in 0 of 2 Materials Explanation(s) provided for Residuals/Impurities? © Yes © No

Nested Method / Product Threshold

All Substances Above the Thr Characterized	<i>eshold Indicated Are:</i> ☉ Yes Ex/SC ☉ Yes ☉ No			
% weight and role provided for all substances.				
Screened	○ Yes Ex/SC			
All substances screened using Priority Hazard Lists with results disclosed.				
Identified	○ Yes Ex/SC ⊙ Yes ○ No			
All substances disclosed by Name (Specific or Generic) and Identifier.				

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

BACKCLOTH (TR/ANTIMILDEW) [POLYETHYLENE TEREPHTHALATE (PET) LT-UNK RAYON (OBSCURE CASRN, USE 9004-34-6) LT-UNK | RES TEBUCONAZOLE (FOLICUR) LT-P1 | AQU | END | MUL | DEV] POLYURETHANE LAYER (ANTIMICROBIAL) [1,3-BENZENEDICARBOXYLIC ACID, POLYMER WITH 1,4-BUTANEDIOL, 2,2-DIMETHYL-1,3-PROPANEDIOL, 2-ETHYL-2-(HYDROXYMETHYL)-1,3-PROPANEDIOL, HEXANEDIOIC ACID AND 1,1'-METHYLENEBIS(4-ISOCYANATOCYCLOHEXANE) NoGS FERRIC OXIDE YELLOW LT-UNK SILVER PHOSPHATE GLASS NoGS]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen

Benchmark or List translator Score ... LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Information provided by manufacturing facility.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: SCS Indoor Advantage Gold - Classroom & Office scenario

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1 and Option 2

Third Party Verified?

No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2021-04-14 PUBLISHED DATE: 2021-04-15 EXPIRY DATE: 2024-04-14 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

1			
	BACKCLOTH (TR/ANTIMILDEW)	%: 59.8500 - 69.9000	
	PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES CONSIDERED: No	MATERIAL TYPE: Other: Polyester Rayon Blend
	RESIDUALS AND IMPURITIES NOTES:	Material is estimated to have no residuals/impurities of	ver 100ppm based off supplier information.
	HPD URL: https://www.ultrafabricsinc.	com/collections/cora-outdoor	
	OTHER MATERIAL NOTES: 65% Polye	ster 35% Rayon Blend	

POLYETHYLENE TEREPHTHALA	TE (PET)	ID: :	25038-59-9
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-04-14 12:53:08	
%: 65.0000	GS: LT-UNK	RC: None NANO: No SUBSTANCE ROLE: Structure of	componen
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
None found		No warnings found on HPD Priority Ha	zard Lists
SUBSTANCE NOTES: Polyester	. Main component in the backing of this pro	oduct.	
RAYON (OBSCURE CASRN, USE	9004-34-6)	ID: 1	99331-82-{
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-04-14 12:53:08	
%: 35.0000	GS: LT-UNK	RC: None NANO: No SUBSTANCE ROLE: Structure of	componen
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced	
SUBSTANCE NOTES: Main com	ponent in the backing of this product.		
TEBUCONAZOLE (FOLICUR)		ID: 1	07534-96-
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-04-14 12:53:09	
%: 0.1000 - 0.1500	GS: LT-P1	RC: None NANO: No SUBSTANCE ROLE: Bio	ocide
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life	
AQU	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting	effects
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor	
MUL	German FEA - Substances Hazardous Waters	to Class 3 - Severe Hazard to Waters	
DEV	EU - GHS (H-Statements)	H361d - Suspected of damaging the unborn child	d

SUBSTANCE NOTES: Antimildew or antifugicide added. EPA-registered.

POLYURETHANE LAYER (ANTIMICROBIAL) %: 30.0000 - 40.0000

PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURIT	IES CONSIDEF	RED: No M	ATERIAL TYPE: Polymeric Material	
RESIDUALS AND IMPURITIES NOTES: Materialis estimated to have no residuals/impurities over 100ppm based off supplier information.					
HPD URL: https://www.ultrafabrics	inc.com/collections/cora-outdoor				
OTHER MATERIAL NOTES: N/A					
2,2-DIMETHYL-1,3-PROPANEDI	CID, POLYMER WITH 1,4-BUTANEDIOL, DL, 2-ETHYL-2-(HYDROXYMETHYL)-1,3- ACID AND 1,1'-METHYLENEBIS(4-			ID: 68258-82-2	
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE	2021-04-14 12:53:07	
%: 80.0000 - 98.9900	GS: NoGS	RC: None	NANO: No S	UBSTANCE ROLE: Polymer species	
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	NINGS		
None found			No warnings	found on HPD Priority Hazard Lists	
SUBSTANCE NOTES: Polyurethane resin. Main component in the polyurethane layer. CAS number given is generic for urethane resin. Actual CAS number is proprietary to the manufacturer and is not disclosed.					
FERRIC OXIDE YELLOW				ID: 51274-00-1	
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE	2021-04-14 12:53:09	
%: 1.0000 - 20.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Pigment	
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	NINGS		
None found			No warnings	found on HPD Priority Hazard Lists	
SUBSTANCE NOTES: Pigment. Add color to polyurethane layer. CAS number given belongs to one representative pigment among various pigments that compose a specific color.					
SILVER PHOSPHATE GLASS				ID: 308069-39-8	
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE	2021-04-14 12:53:09	
%: 0.0100	GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Biocide	
HAZARD TYPE	AGENCY AND LIST TITLES	WARM	NINGS		
None found			No warnings	found on HPD Priority Hazard Lists	
SUBSTANCE NOTES: Antimicro	SUBSTANCE NOTES: Antimicrobial agent added to inhibit bacterial growth. EPA-registered.				

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS		SCS Indoor Advantage Gold - Classroom & Office scenario		
CERTIFYING PARTY: Third Party	ISSUE	EXPIRY	CERTIFIER	
APPLICABLE FACILITIES: AII	DATE:	DATE:	OR LAB:	
CERTIFICATE URL:	2021-	2022-	SCS Global	
$http://intranetdev.ultrafabricsllc.com/img/managed/sub_collections/Cert/Ultrafabricslnc_2019SCSCertificate.pdf$	02-07	02-06	Services	
CERTIFICATION AND COMPLIANCE NOTES:				

😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Products manufactured by Daiichi Kasei for Ultrafabrics.

MANUFACTURER INFORMATION

MANUFACTURER: Ultrafabrics, Inc. ADDRESS: 303 South Broadway Suite 201 Tarrytown New York 10591, USA WEBSITE: https://www.ultrafabricsinc.com/

CONTACT NAME: Janet Kuntz TITLE: Director of Quality Assurance PHONE: 914 460 1756 EMAIL: jkuntz@ultrafabricsinc.com

LT-1 List Translator 1 (Likely Benchmark-1)

to a LT-1 or LTP1 score.) NoGS No GreenScreen.

LT-UNK List Translator Benchmark Unknown (the chemical is

information contained within the list did not result in a clear mapping

present on at least one GreenScreen Specified List, but the

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming

LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)
LT-P1 List Translator Possible 1 (Possible Benchmark-1)

Recycled Types

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.

Ultraleather Outdoor 410 Cora, 421 Distressed, 497 Pumice, 540 Pebble, and 640 Coast hpdrepository.hpd-collaborative.org