


# Residential Outdoor — Ultrafabrics



Bleach Cleanable • Antimildew



# Residential Outdoor



497-0017 Whitewater

Pumice



640-3797 Conch

Coast




393-5852 Jasper

Brisa Forecast



396-3361 Mohave

Brisa Frontier



421-3357 Cream

Summit




410-5929 Greyhound

Cora







497-0047 White Shore



640-0021 Snow Cap



640-0042 Beacon




410-5920 Icing




640-3797 Conch



393-5750 Polar



640-5968 Feather



497-0017 Whitewater



393-5852 Jasper




497-3260 Seahorse



410-0002 Frozen



640-6508 Dolphin




421-3357 Cream




396-3361 Mohave




640-3890 Cabana



393-5875 Nimbus




421-3578 Stone



396-3733 Greige




396-3024 Chamois



421-3261 Clairmont



410-5923 Setter




640-6086 Walrus Grey




410-5929 Greyhound




396-3134 Buckskin



421-3270 Barro



410-5904 Blackout



396-3790 Shadow




640-3881 Dusty Earth




640-3880 Savanna



640-3837 Bungalow




410-3225 Harmony



410-3428 Honey Wheat



640-2590 Raindrop




393-4529 Glass




497-5969 Propeller



640-3879 Terra



393-5267 Daisy




410-2637 Blue Moon




640-2579 Glacial




640-4338 Stem Green




396-3972 Lasso



393-8214 Marigold




393-2542 Michigan Blue



410-2564 Aura




640-7230 Calypso




396-3980 Waylan




393-1331 Burnt Red



393-5749 Black Onyx



393-4528 Sea Green



393-4435 Cricket

**Breathable Comfort** — Engineered with a proprietary ventilation system that enhances softness and promotes air circulation for the highest level of comfort.

**01** Brisa Forecast

**02** Brisa Frontier

**Antimicrobial** — Features an EPA-registered antimicrobial agent that inhibits the growth of bacteria, while providing additional deterioration protection to the surface.

**01** Coast

**02** Cora

**03** Pumice

**04** Summit

**Outdoor Living** — Designed to defend against mildew, bacteria, and other **microbes**, these durable materials resist water and withstand fading to provide lasting defense, no matter the season or forecast.

**01** Brisa Forecast

**04** Cora

**02** Brisa Frontier

**05** Pumice


**03** Coast

**06** Summit






Antimicrobial



Breathable  
Comfort



Outdoor  
Living

# Residential Outdoor

## Application

Interior Upholstery, Exterior Upholstery

## General Specifications

### Composition:

100% Polycarbonate Polyurethane Surface  
65% Polyester, 35% Rayon Backing

### Weight:

Approx. 10.9 - 11.5 oz. Per Square Yard  
Approx. 370 - 390 Grams Per Square Metre

### Thickness:

Approx. 1.05 - 1.15 Millimetres

### Width:

54 Inches / 137 Centimetres

### Repeat:

3.94"V x 3.66"H / 100mm V x 93mm H (Cora)  
8"V x 10.5"H / 203mm V x 267mm H (Summit, Brisa Frontier)

## Performance

### Abrasion:

ASTM D4157 / 200,000 - 400,000 Double Rubs  
(Wyzenbeek)\*  
BS EN ISO 12947-2 / 100,000 - 200,000 Rubs (Martindale)\*  
\*meets or exceeds

### Hydrolysis:

14+ Weeks  
ASTM D3690 Sect. 6.11 (Hydrolytic Stability)  
ISO 1419 Method C (Accelerated Ageing)

### Adhesion of Coating:

ASTM D751

### Tear Strength:

ASTM D2261

### Breaking Strength:

ASTM D5034

### Tensile Strength:

BS EN ISO 1421

### Cold Crack:

FTM 5874 / CFFA 6a

### Air Permeability<sup>††</sup>:

ASTM D737

### Antibacterial<sup>†</sup>:

AATCC 147

### Antimicrobial<sup>†</sup>:

ASTM E2180

### Antimildew:

ASTM G21

### Sound Absorption<sup>††</sup>:

ASTM C423

## Colorfastness

### UV:

ASTM G154, 1000 Hours

### Light Fastness:

SAE J2527 1500 kj, Grade 4\*

ISO 105 B02, Grade 6-8

### Crocking:

AATCC 8, Grade 4-5 Wet & Dry

### Chlorinated Water:

AATCC 162, Class 4-5

### Perspiration:

AATCC 15, Class 5

### Sea (Salt) Water:

AATCC 106, Class 4-5

## Flammability Requirements

- ASTM E84 (Adhered) - Class A
- CA TB 117 - Pass
- FMVSS 302 & 95/28 Annex IV - Pass
- NFPA 260 - Class 1
- UFAC - Class 1

These fabrics, when treated and/or used with other compatible furniture components, have been shown to perform under the fire test conditions of:

- ASTM E84 (Unadhered)
- BS 5852 Source 0, 1 & 5
- IMO FTPC Part 8 (Cig, Match & Crib 5)
- BS EN 1021 Parts 1 & 2\*\*

For more information on certifications and standards, sustainability, as well as cleaning and care instructions, please visit our website.

Cushions should not remain wet or be covered when wet, as this will increase the chances of mildew growth. Our Outdoor Living products perform best when paired with an open cell, reticulated, quick drying foam and/or a waterproof barrier between the fabric and foam. Utilizing air vents and/or a mesh, open weave insert are also options. Best stored in a dry, well-ventilated area.

\*Only pertains to Coast, Cora, Pumice & Summit

\*\*Only pertains to Coast

†Coast, Cora, Pumice & Summit

††Brisa Forecast & Brisa Frontier



**ultrafabricsinc.com**

Ultrafabrics® and logo and Brisa® are registered trademarks of Ultrafabrics Inc. Made in Japan.



7/21