Brisa® Outdoor 393 Original and 396 Distressed by Ultrafabrics, Inc.

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: N/A

PRODUCT DESCRIPTION: Polyurethane coated fabric for upholstering furniture. Covers 393 Brisa Original Outodoor and

396 Brisa Distressed Outdoor.



Section 1: Summary

Nested Method / Material Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- C Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- C 1,000 ppm
- Per GHS SDS Per OSHA MSDS
- Other

Residuals/Impurities

Residuals/Impurities Considered in 0 of 2 Materials

Explanation(s) provided for Residuals/Impurities? • Yes • No

All Substances Above the Threshold Indicated Are:

○ Yes Ex/SC ○ Yes ○ No Characterized

% weight and role provided for all substances.

Screened C Yes Ex/SC € Yes C No

All substances screened using Priority Hazard Lists with results disclosed.

Identified C Yes Ex/SC C Yes € No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow auidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

BACKCLOTH (TR/ANTIMILDEW) [POLYETHYLENE TEREPHTHALATE (PET) LT-UNK RAYON (OBSCURE CASRN, USE 9004-34-6) NoGS TEBUCONAZOLE (FOLICUR) LT-P1 | AQU | DEL | END] POLYURETHANE LAYER (PFC) [1,3-BENZENEDICARBOXYLIC ACID, POLYMER WITH 1,4-BUTANEDIOL, 2,2-DIMETHYL-1,3-PROPANEDIOL, 2-ETHYL-2-(HYDROXYMETHYL)-1,3-PROPANEDIOL, HEXANEDIOIC ACID AND 1,1'-METHYLENEBIS(4-ISOCYANATOCYCLOHEXANE) NoGS FERRIC OXIDE YELLOW LT-UNK FLUORIDE COMPOUNDS, INORGANIC LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 0 Contents highest concern GreenScreen Benchmark or List translator Score ... LT-P1 Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Information provided by manufacturing facility.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings. VOC emissions: SCS Indoor Advantage Gold - Classroom & Office scenario

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

C Yes No

PREPARER: Self-Prepared VERIFIER:

VERIFICATION #:

SCREENING DATE: 2018-10-10 **PUBLISHED DATE: 2019-11-18** EXPIRY DATE: 2021-10-10



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

BACKCLOTH (TR/ANTIMILDEW)

%: 59.85 - 69.90

MATERIAL THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: NO

RESIDUALS AND IMPURITIES NOTES: Material is estimated to have noresiduals/impurities over 100ppm based off supplier information.

OTHER MATERIAL NOTES: N/A

RC: None NANO: No ROLE: Substrate
WARNINGS
No warnings found on HPD Priority Hazard L

RAYON (OBSCURE CASRN, USE 9004-34-6)

ID: 99331-82-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENI	HAZARD SCREENING DATE: 2018-10-10				
%: 35.00	GS: NoGS	RC: None	nano: No	ROLE: Substrate			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS					
None found			No warnings fou	nd on HPD Priority Hazard Lists			

SUBSTANCE NOTES: Main component in the backing of this product.

TEBUCONAZOLE (FOLICUR) ID: 107534-96-3

HAZARD SCREENING METHOD: Phar	ARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-10-10				
%: 0.10 - 0.15	gs: LT-P1	RC: None	nano: No	ROLE: Antimildew			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS					
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Ver	y toxic to aquatic life				
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Ver	H410 - Very toxic to aquatic life with long lasting effects				
DEVELOPMENTAL	EU - GHS (H-Statements)	H361d - St	H361d - Suspected of damaging the unborn child				
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential E	Endocrine Disruptor				

SUBSTANCE NOTES: Antimildew

POLYURETHANE LAYER (PFC)

%: 30.00 - 40.00

MATERIAL THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: Material is estimated to have no residuals/impurities over 100ppm based off supplier information.

OTHER MATERIAL NOTES: N/A

1,3-BENZENEDICARBOXYLIC ACID, POLYMER WITH 1,4-BUTANEDIOL, 2,2-DIMETHYL-1,3-PROPANEDIOL, 2-ETHYL-2-(HYDROXYMETHYL)-1,3-PROPANEDIOL, HEXANEDIOIC ACID AND 1,1'-METHYLENEBIS(4-ISOCYANATOCYCLOHEXANE)

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD	HAZARD SCREENING DATE: 2018-10-10			
%: 80.00 - 98.90	GS: NoGS		RC: None	NANO: No	ROLE: Primary ingredient for polyurethane layer/binder/durability/hand		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS					
None found				No w	arnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: Polyurethane resin. Main component in the polyurethane layer. CAS number given is generic for urethane resin. Actual CAS number is proprietary to the manufacturer and is not disclosed.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2018-10-10

ME: None NANO: No ROLE: Surface appearnce/Colorant

HAZARD TYPE AGENCY AND LIST TITLES

WARNINGS

SUBSTANCE NOTES: Pigment. Add color to polyurethane layer. CAS number given belongsto one representative pigment among various pigments that copose a specific color.

FLUORIDE COMPOUNDS, INORGANIC

None found

ID: Not registered

No warnings found on HPD Priority Hazard Lists

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2018-10-10				
%: 0.10 - 0.15	GS: LT-UNK	RC: None	nano: No	ROLE: Support manufacturing process			
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS				
None found				No warnings found on HPD Priority Hazard Lists			

SUBSTANCE NOTES: Prevent interim product surface from sticking together during manufacturing process.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Gold -	SCS Indoor Advantage Gold - Classroom & Office scenario		
CERTIFYING PARTY: Third Party	ISSUE	EXPIRY	CERTIFIER	
APPLICABLE FACILITIES: All	DATE:	DATE:	OR LAB:	
CERTIFICATE URL:	2019-	2020-	SCS	
http://intranetdev.ultrafabricsllc.com/img/managed/sub_collections/Cert/Ultrafabricslnc_2019SCSCertificate.pdf	02-07	02-06	Global	
			Services	

CERTIFICATION AND COMPLIANCE NOTES: Conforms to the ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2016) and ANSI/BIFMA e.3 -2014e (Credits 7.6.1, 7.6.2, 7.6.3) for seating parameters. Also, conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 for seating and school classroom parameters.



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

Products manufactured by Daiichi Kasei for Ultrafabrics.

MANUFACTURER INFORMATION

MANUFACTURER: Ultrafabrics, Inc.

ADDRESS: 303 South Broadway Suite 201 Tarrytown New york 10591, USA

WEBSITE: https://www.ultrafabricsinc.com/

CONTACT NAME: Janet Kuntz

TITLE: Quality Manager PHONE: 914 460 1730

EMAIL: jkuntz@ultrafabricsinc.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity **END** Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards
NEU Neurotoxicity
OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive) REP Reproductive toxicity RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the
 product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.