created via: HPDC Online Builder

**HPD UNIQUE IDENTIFIER: 24416** 

CLASSIFICATION: 45 19 00 Textiles and Apparel Manufacturing Equipment

PRODUCT DESCRIPTION: Polyurethane coated fabric for upholstering furniture. Covers 533 Brisa Original, 535 Brisa Distressed, 556 Brisa

Mokume, and 620 Brisa Spectra.



# Section 1: Summary

## **Nested Method / Product Threshold**

#### CONTENT INVENTORY

**Inventory Reporting Format** 

Nested Materials Method

C Basic Method

Threshold Disclosed Per

Material

Product

Threshold level

C 1,000 ppm

C Per GHS SDS

Other

Residuals/Impurities

Residuals/Impurities

Considered in 0 of 2 Materials

Explanation(s) provided for Residuals/Impurities?

Yes ○ No

All Substances Above the Threshold Indicated Are:

Characterized 

% weight and role provided for all substances.

 ○ Yes Ex/SC Yes No. Screened

All substances screened using Priority Hazard Lists with

results disclosed.

Identified O Yes Ex/SC ○ Yes ○ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more

Special Condition did not follow guidance.

## **CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

**GREENSCREEN SCORE | HAZARD TYPE** 

BACKCLOTH (TR) [ POLYETHYLENE TEREPHTHALATE (PET) LT-UNK RAYON (OBSCURE CASRN, USE 9004-34-6) LT-UNK | RES ] POLYURETHANE LAYER (PFC) [ 1,3-BENZENEDICARBOXYLIC ACID, POLYMER WITH 1,4-BUTANEDIOL, 2,2-DIMETHYL-1,3-

PROPANEDIOL, 2-ETHYL-2-(HYDROXYMETHYL)-1,3-PROPANEDIOL,

**HEXANEDIOIC ACID AND 1,1'-METHYLENEBIS(4-**

ISOCYANATOCYCLOHEXANE) NoGS FERRIC OXIDE YELLOW LT-UNK

FLUORIDE COMPOUNDS, INORGANIC LT-UNK ]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen

Benchmark or List translator Score ... LT-UNK

Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:** 

Information provided by manufacturing facility.

## **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional listinas.

VOC emissions: SCS Indoor Advantage Gold - Classroom & Office scenario

## **CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

O Yes No

PREPARER: Self-Prepared

**VERIFIER:** 

**VERIFICATION #:** 

**SCREENING DATE: 2021-04-14 PUBLISHED DATE: 2021-04-14** 

EXPIRY DATE: 2024-04-14



## **Section 2: Content in Descending Order of Quantity**

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

BACKCLOTH (TR)	%: 60.0000 - 70.0000
DACKCLUITIIII	70. 00.0000 - 70.0000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: No

MATERIAL TYPE: Other: Polyester Rayon Blend

RESIDUALS AND IMPURITIES NOTES: Material is estimated to have no residuals/impurities over 100ppm based off supplier information.

HPD URL: https://www.ultrafabricsinc.com/collections/original-1

OTHER MATERIAL NOTES: 65% Polyester 35% Rayon Blend

## POLYETHYLENE TEREPHTHALATE (PET)

ID: 25038-59-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-04-14 12:00:52

%: 65.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Polyester. Main component in the backing of this product.

## RAYON (OBSCURE CASRN, USE 9004-34-6)

ID: 99331-82-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-04-14 12:00:52

%: 35.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

RES AOEC - Asthmagens Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Main component in the backing of this product.

## POLYURETHANE LAYER (PFC) %: 30.0000 - 40.0000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: No MATERIAL T

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Material is estimated to have no residuals/impurities over 100ppm based off supplier information.

HPD URL: https://www.ultrafabricsinc.com/collections/original-1

OTHER MATERIAL NOTES: N/A

1,3-BENZENEDICARBOXYLIC ACID, POLYMER WITH 1,4-BUTANEDIOL, 2,2-DIMETHYL-1,3-PROPANEDIOL, 2-ETHYL-2-(HYDROXYMETHYL)-1,3-PROPANEDIOL, HEXANEDIOIC ACID AND 1,1'-METHYLENEBIS(4-ISOCYANATOCYCLOHEXANE)

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-04-14 12:00:51

%: 80.0000 - 98.9000 GS: NoGS RC: None NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Polyurethane resin. Main component in the polyurethane layer. CAS number given is genericfor urethane resin. Actual CAS number is proprietary to the manufacturer and is not disclosed.

FERRIC OXIDE YELLOW ID: 51274-00-1

SUBSTANCE NOTES: Pigment. Add color to polyurethane layer. CAS number given belongs to one representative pigment among various pigments that compose a specific color.

## **FLUORIDE COMPOUNDS, INORGANIC**

**ID: Not registered** 

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-04-14 12:00:53

%: 0.1000 - 0.1500 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Water resistance

HAZARD TYPE AGENCY AND LIST TITLES WATERIALS NO warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Water repellency



# **Section 3: Certifications and Compliance**

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS		SCS Indoor Advantage Gold - Classroom & Office scenario	
CERTIFYING PARTY: Third Party	ISSUE	EXPIRY	CERTIFIER
APPLICABLE FACILITIES: All	DATE:	DATE:	OR LAB:
CERTIFICATE URL:	2021-	2022-	SCS Global
$http://intranet dev.ultrafabrics llc.com/img/managed/sub\_collections/Cert/Ultrafabrics lnc\_2019SCSCertificate.pdf$	02-07	02-06	Services
CERTIFICATION AND COMPLIANCE NOTES:			



# Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

## Section 5: General Notes

Products manufactured by Daiichi Kasei for Ultrafabrics.

## **MANUFACTURER INFORMATION**

MANUFACTURER: Ultrafabrics, Inc. ADDRESS: 303 South Broadway

Suite 201

Tarrytown New York 10591, USA

WEBSITE: https://www.ultrafabricsinc.com/

CONTACT NAME: Janet Kuntz
TITLE: Director of Quality Assurance

PHONE: 914 460 1756

EMAIL: jkuntz@ultrafabricsinc.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

# KEY

**Hazard Types** 

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

**NEU** Neurotoxicity

NF Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

## GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the

information contained within the list did not result in a clear mapping

to a LT-1 or LTP1 score.) **NoGS** No GreenScreen.

#### **Recycled Types**

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

# Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

## **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.